

Organova



Technical
specifications



ORGANOVA
price list



Standards



TECHNICAL SPECIFICATIONS

SEAT-BACKREST upholstered over an internal 11 mm plywood core. Upholstery with perimeter stitching

ARMRESTS optional, upholstered over an internal 11 mm plywood core. Overall armrest size: 310 x 370 mm. Upholstery with perimeter stitching

FRAME 4-leg pyramidal design made from 4 mm folded flat steel, finished with epoxy-polyester paint at an average thickness of 50 microns. Non-removable frame


FOOT SUPPORT in the lower base of the leg, made from 4 mm flat steel

FINISHES

| Frame



Anthracite



White

| Upholstered seat, backrest, and armrests

All finishes from the EMOBOK color card are available in groups G1, G2, G3, and G5.

Armchair **ORGANOVA**

DIMENSIONS



STANDARDS

The **ORGANOVA** chair has passed the tests conducted by EMOBOK's internal quality control team, achieving satisfactory results in line with the following standards

UNE-EN 1335-1:2021+A1:2023. Office furniture. Office chairs. Part 1: Dimensions. Determining dimensions. **UNE-EN 1335-2:2018.** Office furniture. Office chairs. Part 2: Safety requirements. **BS 5459-2:200+A2:2008.** Specification for performance requirements and testing for office furniture. Office chair designed for users up to 150 kg and for use up to 24 hours a day.



UPHOLSTERY





CERTIFICATIONS



ISO 9001:2015
Issuing entity: AENOR



ISO 14001:2015
Issuing entity: AENOR



ISO 14006:2020
Issuing entity: COMPECER



ISO 14001:2015
Issuing entity: AENOR



ISO 9001:2015
Issuing entity: AENOR

emobok

P. I. La Campiña
C/ Navarra, 1 - 41400
Écija (Sevilla)

(+34) 954 833 823 | info@emobok.com | emobok.com