emobok

Start

Technical features

Regulations



TECHNICAL FEATURES

Upholstered **BACKSEAT** over a 11 mm thick plywood structurer, with perimeter stitching and separated from the tubular frame by black nylon spacers

Seat and backrest **STRUCTURE** made of 18 mm diameter circular metal tube with a 1.5 mm thickness, finished with a 50-micron medium-thickness epoxy-polyester finish

LEGS made of 18 mm diameter circular metal tube with a 1.5 mm thickness, finished with a 50-micron medium-thickness epoxy-polyester finish



Upholstered **SEAT** with a 11 mm thick curved plywood core, featuring perimeter seams and distanced from the tubular frame using black nylon spacers

Black polypropylene conical **LEVELERS**

Finishes

Structure

Black

White

Upholstered seat and backrest

All finishes from the EMOBOK charts are available in groups G1, G2, G3, G4 and G5.

MONOCHROME chair

RAL 1019 | RAL 5024 | RAL 7033 | RAL 3012

DEKORA 1DK008 | ERA 2CSE43 | ERA 2CSE33 | ERA 2CSE24 | ERA 2CSE25

START 4 – legged

chair

DIMENSIONS



TECHNICAL FEATURES

Upholstered **BACKSEAT** over 11 mm thick plywood structurer, with perimeter stitching and separated from the tubular frame by black nylon spacers.

Seat and backrest **STRUCTURE** made of a 18 mm diameter circular metal tube with a 1.5 mm thickness, finished with a 50-micron medium-thickness epoxy-polyester finish.

Under-seat **MECHANISM** allowing the complete 360° rotation of the seat and backrest assembled.

Pyramidal **STRUCTURE** composed of 4 polypropylene legs with conical-square sections.



Polypropylene **ARMREST** in black or white, measuring 190x40 mm.

Upholstered **SEAT** with 11 mm thick curved plywood core, featuring perimeter seams and distanced from the tubular frame using black nylon spacers.

Polypropylene **CASTERS** in black or white, mounted on the base of the legs. Caster width: 35 mm. Diameter: 40 mm.

Finishes

| Structure

Black **White**

Upholstered seat and backrest

All finishes from the EMOBOK charts are available in groups G1, G2, G3 , G4 and G5.

START swivel chair

DIMENSIONS



REGULATIONS

The **START** chair has passed the test performed by EMOBOK's internal quality control team, achieving satisfactory results in compliance with these regulations:


UNE-EN 1335-1:2021+A1:2023 Office furniture. Office chairs. Part 1: Dimensions. Determination of dimensions.
UNE-EN 1335-2 Office furniture. Office chairs. Part 2: Safety requirements.
UNE-EN 1022:2024 Furniture. Seating. Determination of stability.

emobok

UPHOLSTERED

emobok


G1 | Basic FR



1BSSE094


1BSA019



1BSA009


1BS4011


1BSF103


1BS6015



1BSA077


1BSA034


1BSA096


1BSA108


1BSA301


1BSA087


1BSA302



1BSA084



1BSA088


G2 | Era (*) | Dekora


2CSE33(*)



2CSE24(*)


2CSE43(*)


2CSE13(*)



2CSE45(*)


2CSE41(*)



2CSE25



1ONEK413


1ONEK343



1ONEG927


1ONEG629



1DK103


1DK099



1DK083


1DK076


1DK056


1DK039


1DK032


1DK014


1DK008


G3 | Rivet (*)| Ocean FR


2EGL11(*)


2EGL25(*)


2EGL09(*)


2EGL36(*)


2EGL16(*)

2EGL18(*)

2EGL33(*)

10C023

10C018

10C025

10C010

10C035

10C800

10C036

10C027

10C557

10C425

10C009

10C028

10C034

10C037

10C006

G4 | Master Pro | Rattan | Basket

5DARK 490

5GARNET 434

5TOFFE 419

5CALM 403

5CREAM 305

5CARAMEL 324

5BONE 702

5SNOW 703

G5 | Lanee melange

3WM106

3WM114

3WM120

3WM142

emobok

CERTIFICATIONS



ISO 9001:2015
Issuing entity:
AENOR



ISO 14001:2015
Issuing entity:
AENOR



ISO 14006:2020 Issuing entity: COMPECER



IQNet 9001:2015
Issuing entity:
AENOR



IQNet 14001:2015
Issuing entity:
AENOR

emobok

P. I. La Campiña
C/ Navarra, 1 - 41400
Écija (Sevilla)

(+34) 954 833 823 | info@emobok.com | emobok.com