emobok

Venecia

Technical features

Regulations



TECHNICAL FEATURES



3D Runproof fabric **BACKREST**

Height-adjustable **LUMBAR SUPPORT**, assembled onto the backrest

1D height-adjustable **ARMRESTS** with PP finish

Height-adjustable **SEAT** with polyurethane foam. Average thickness of 50 mm and density of 56 kg/m3

Synchronized movement with three-position lock and anti-shock system, allowing the **BACKREST** to be adjusted

GAS LIFT PISTON

NYLON 5 STAR BASE 710mm total diameter
Optional polished aluminium base

65 mm diameter hard double-rolling free **CASTERS**. Also available: soft double casters with self-braking mechanism

VENECIA chair
DIMENSIONS



FEATURES

VENECIA seat



SDS002
PU seat for VENECIA chair

50 mm medium-thickness PU injected foam seat designed for maximum confort, flexibility and pressure distribution while seated. 56 kg/m3 density. 500x470 mm total dimension.

Seating mechanism



SYM012
Self weighting-mechanism

Synchronized mechanism with three-position lock and anti-shock system, allowing the backrest tilt to be adjusted. The mechanism is operated using a lever located under the seat.

Gas lift piston



AGM181/Ne
Gas lift piston for seat

Height-adjustment via a gas lift piston with a 50 mm diameter, a height of 230 mm and a stroke of 135 mm. This mechanism is activated using a lever located beneath the seat.

VENECIA lumbar-adjustment



SHT145/Ne
Height-adjustable lumbar support

Height-adjustable lumbar support finished in black, assembled onto the backrest.

Arms



BRP003/Ne
1D Armrests

1D Armrests with a black PP pad on a nylon support. Height-adjustable by 75 mm. The mechanism is activated by pressing the button located on the armrest.

Bases



BAY710/Ne
Nylon base

Nylon 5 star base finished in black. The total diameter is 710 mm with a central support for the 50 mm diameter gas lift piston.



BAA335
Pulished aluminium base

Pulished aluminium 5 star base. The total diameter is 690 mm with a central support for the 50 mm diameter gas lift piston.

Casters



RUY012/Ne/Sa/Lib
65 mm free caster

65 mm diameter black free rubber casters. 11x20 mm pin.



RUY012/Ne-Go/Sa
65 mm self-braking caster

65 mm diameter self-braking wheel finished in black. 11x20 mm pin.

FINISHES

Frame, base and arms

Black

Mesh

Black

Grey
(Request price and delivery time)

Orange
(Request price and delivery time)

Blue
(Request price and delivery time)

Fabrics

All finishes from the EMOBOK fabric charts are available in groups G1, G2, G3, G4 and G5.

REGULATIONS

The **VENECIA** chair has passed the test performed by EMOBOK's internal quality control team, achieving satisfactory results in compliance with these regulations:


UNE-EN 1335-1:2021+A1:2023 Office furniture. Office chairs. Part 1: Dimensions. Determination of dimensions.
UNE-EN 1335-2 Office furniture. Office chairs. Part 2: Safety requirements.
UNE-EN 1022:2024 Furniture. Seating. Determination of stability

emobok

UPHOLSTERED

emobok


G1 | Basic FR



1BSSE094


1BSA019



1BSA009


1BS4011


1BSF103


1BS6015



1BSA077


1BSA034


1BSA096


1BSA108


1BSA301


1BSA087


1BSA302



1BSA084



1BSA088


G2 | Era (*) | Dekora


2CSE33(*)



2CSE24(*)


2CSE43(*)


2CSE13(*)



2CSE45(*)


2CSE41(*)



2CSE25



1ONEK413


1ONEK343



1ONEG927


1ONEG629



1DK103


1DK099



1DK083


1DK076


1DK056


1DK039


1DK032


1DK014


1DK008


G3 | Rivet (*)| Ocean FR


2EGL11(*)


2EGL25(*)


2EGL09(*)


2EGL36(*)


2EGL16(*)

2EGL18(*)

2EGL33(*)

10C023

10C018

10C025

10C010

10C035

10C800

10C036

10C027

10C557

10C425

10C009

10C028

10C034

10C037

10C006

G4 | Master Pro | Rattan | Basket

5DARK 490

5GARNET 434

5TOFFE 419

5CALM 403

5CREAM 305

5CARAMEL 324

5BONE 702

5SNOW 703

G5 | Lanee melange

3WM106

3WM114

3WM120

3WM142

emobok

CERTIFICATIONS



ISO 9001:2015
Issuing entity:
AENOR



ISO 14001:2015
Issuing entity:
AENOR



ISO 14006:2020 Issuing entity: COMPECER



IQNet 9001:2015
Issuing entity:
AENOR



IQNet 14001:2015
Issuing entity:
AENOR

emobok

P. I. La Campiña
C/ Navarra, 1 - 41400
Écija (Sevilla)

(+34) 954 833 823 | info@emobok.com | emobok.com